



STACKFENCE

PRODUCT SPECIFICATION SHEET

Composite Horizontal Privacy Fence & Gate

Full-privacy boards on a black aluminum frame — co-extruded wood grain composite panels, matching single-swing gates, and surface-mount posts in three colors.



SYSTEM

Horizontal privacy, composite board-on-frame

PANEL

6 ft × 6 ft · 12 boards

FINISH

Co-extruded wood grain composite

FRAME

Black aluminum posts & rails

COLORS

Brown · Storm Grey · Jet Black

WARRANTY

20-Year limited material




Brown

#6B4A32



Storm Grey

#6C7075



Jet Black

#1C1C1E

StackFence Composite Fence System


CONTRACTOR · DEALER · CUSTOMER REFERENCE

stackfence.com

01

Composite Privacy Panel

PANEL DIMENSIONS, HEIGHTS & FRONT ELEVATION



Storm Grey shown · 6 ft x 6 ft full-privacy panel · front elevation, typical bay

2 in + 72 in + 2 in = **76 in**

ABOVE-GRADE POST LENGTH

76 in + 36 in = **112 in**

TOTAL POST LENGTH (9 FT 4 IN)

PANEL & POST — SUMMARY

Nominal panel size	6 ft x 6 ft (72 in x 72 in)
Configuration	Full privacy · 12 horizontal boards
Board profile	5-13/16 in face x 3/4 in thick x 72 in long
Post spacing	74 in center-to-center
Panel height & clearances	6 ft / 72 in panel · 2 in top & bottom clearance
Post length (line & gate)	9 ft 4 in / 112 in · 76 in above grade · 36 in in-ground
Line / gate post	3-1/8 in · 4 in square
Finish & colors	Co-extruded wood grain composite · Brown, Storm Grey, Jet Black

BOARDS BY PANEL HEIGHT 4 ft = 8 · 5 ft = 10 · **6 ft = 12 standard** · 7 ft = 14

02

Single-Swing Gate

MATCHING COMPOSITE GATE SYSTEM



Storm Grey shown · single-swing composite gate with black aluminum perimeter frame

GATE — SUMMARY

Type	Single-swing · black aluminum perimeter frame
Standard configuration	11 boards (6 ft gate) · same board profile & spacing as panel
Common sizes	6 ft × 4 ft and 6 ft × 5 ft (72 × 48 in; 72 × 60 in)
Hardware	Frame, 3 hinges, latch/lock, door stopper, screws, corner joints, brackets, corner-connection adhesive
Assembly	Supplied unassembled unless otherwise specified
Pool configuration	Self-closing / self-latching where required; outward swing where code requires

03

Posts, Rails & Base

FRAME COMPONENTS & STANDING BASE

FRAME COMPONENTS

Line post	3-1/8 in square (80 mm)
Gate / heavy post	4 in square (102 mm)
Post length (line & gate)	9 ft 4 in / 112 in total
Top rail / cover	1-3/16 in x 13/16 in (30 x 21 mm)
Bottom rail / cover	1-3/4 in x 13/16 in (44 x 21 mm)
Post caps	Included · black
Hardware	Screws, corner joints, brackets, corner-connection adhesive
Frame finish	Black aluminum — posts, rails & caps

Mounting notes

- The standing base is a surface-mount post foot that trims the post at grade; the plastic base cover conceals the connection.
- Final anchoring, footing, and post embedment depth depend on site conditions and local code.

Post foot

Surface-mount



STANDING BASE

5.31 x 5.31 x 2.36 in (135 x 135 x 60 mm)

BASE TUBE

1.57 x 1.57 in (40 x 40 mm)

PLASTIC BASE COVER

3.15 x 3.15 in (80 x 80 mm)

FINISH

Black

MOUNT

Surface-mount for aluminum posts

Black standing base with post — trims post at grade